

krueigh carousel



Accuracy and Productivity when you need it most

www.xrfscientific.com



Streamline your Process!

The xrWeigh Carousel takes the hard work out of flux weighing, removing a repetitive task from your laboratory while improving accuracy and traceability.

Simple Operation

"One touch" operation, just turn it on! Attach flux bottle, set your target and let the Carousel do the rest.

Fast

Weigh 30 vials of flux in less than 20 minutes.

Easy Clean

Simple flux bottle replacement, easy access for cleaning, low maintenance.

Reliable

Based on the existing single system architecture, simple modular design, extensively tested.





Ongoing Support

The purchase of an XRFS weighing machine is the beginning of a relationship where we provide access to a range of support and technical services to meet your fusion needs.

Whether you are new to fusion or an experienced user we have a range of services to increase the productivity and throughput of your application.

- Advice on appropriate selection of flux and standards
- Organization of Platinum remake processes
- Technical advice on difficult fusion issues
- On-site support and preventative maintenance programs

Please see our website for more details of our representatives in your area.

The Complete Solution



Fusion

We manufacture the world's most sophisticated fusion machines. Our range spans from the sophisticated P2 temperature controlled gas instrument to the highly reliable, contamination-free xrFuse range.

X-Ray Flux	X-Ray Flux	X-Ray Flux
All Contents And And And And And And And And And And	And Address of the Ad	The second second
THE REAL PROPERTY AND	A D D D D D D D D D D D D D D D D D D D	The Property in
HEF	RUL	HIF

Flux

We are the world's pre-eminent manufacturer of flux. We can provide standard Borate fluxes or custom solutions to meet your specific needs.



Labware

We manufacture Labware for all our fusion instruments in house. We can also provide a remake service for the transfer from other Labware designs.





Specifications

Width	750 mm
Depth	600 mm
Height	420 mm
Weight	35 kg
Capacity	30 Vials
Speed	> 90 vials per hour
Accuracy	<pre>1mg (speed dependent)</pre>

www.xrfscientific.com